2391853-1 ✔ ACTIVE

Positive Lock

TE Internal #: 2391853-1

Insulation Sleeve, Straight, PVC, Blue, Bag, -40 – 105 °C [-40 – 221 °F], Insulation Boots & Sleeves

View on TE.com >

Terminals & Splices > Terminal Housings, Insulation Sleeves & Blocks > Insulation Boots & Sleeves



Insulation Boot & Sleeve Product Type: **Insulation Sleeve**

Terminal Orientation: **Straight**

Primary Product Material: **PVC**

Primary Product Color: **Blue**

Packaging Method: **Bag**

Features

Product Type Features

Insulation Boot & Sleeve Product Type	Insulation Sleeve

Configuration Features

Number of Positions	1

Body Features

Primary Product Material	PVC
Primary Product Color	Blue

Contact Features

Accepts Terminal Style	Receptacle
Terminal Orientation	Straight

Dimensions

Product Length	22.5 mm[.88 in]

Usage Conditions

Operating Temperature Range	-40 – 105 °C[-40 – 221 °F]

Packaging Features

Packaging Quantity	1000
Packaging Method	Bag

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Out of Scope
China RoHS 2 Directive MIIT Order No 32, 2016	有害物质含量符合标准要求 No Restricted Substance(s) Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) SVHC > Threshold: Triphenyl phosphate (TPP) (3% in Component) MCCP (.2% in Component) **Article Safe Usage Statements:** Wash thoroughly after handling. Do not handle until all safety precautions have been read and understood. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts




TE Part # 173722-1
187 PL EX REC. 26-20AWG PTBR


Customers Also Bought



TE Part #CSJ-RGFB-100-MHF4
RP-SMA to MHF4 100mm 0.81 OD



TE Part #173722-1
187 PL EX REC. 26-20AWG PTBR



TE Part #173725-1
PL 187 REC TERMINAL 20-14 PTPB LP




TE Part #175023-1
PL 250 RECEPTACLE 18-14 AWG PTBR



TE Part #175024-1
250 PL EX REC. 15-10AWG PTBR



TE Part #770147-1
.093 CP&S PIN PTPBR LP 24-18



TE Part #3-2176617-2
SMQW3W 2R0 5%



TE Part #2391865-1
POSITIVE LOCK 250 (6.3 MM) SLEEVE



TE Part #1-6609021-2
10VB6=F7353 S0



TE Part #L9000081-01
Antenna Dipole 2.4GHz Tilt Swivel RPS

Documents

Product Drawings

187 sleeve PL BLUE transparent

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_2391853-1_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_2391853-1_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_2391853-1_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

Datasheets & Catalog Pages

Positive Lock Receptacles

English

110_Positive_Lock_Housings

English

POS_LOCK_MII_QRG

English

2P_Positive_Lock_HSGS

English

Product Specifications

Product Specification

English

187 SERIES POSITIVE LOCK EX CONTACT

English