# 292206-3 ✔ ACTIVE

AMP Mini CT


TE Internal #: 292206-3

PCB Mount Header, Right Angle, Wire-to-Board, 3 Position, 1.5 mm [.059 in] Centerline, Fully Shrouded, Tin (Sn), Through Hole - Solder, AMP Mini CT

View on TE.com >

Connectors > PCB Connectors > PCB Headers & Receptacles > MINI COMMON TERMINATION HEADERS







PCB Connector Type: **PCB Mount Header**

PCB Mount Orientation: **Right Angle**

Connector System: **Wire-to-Board**

Number of Positions: **3**

Centerline (Pitch): **1.5 mm [ .059 in ]**

All MINI COMMON TERMINATION HEADERS (39)

## Features

### Product Type Features

| | |
|---|---|
| PCB Connector Type | PCB Mount Header |
| Connector System | Wire-to-Board |
| Header Type | Fully Shrouded |
| Sealable | No |
| Connector & Contact Terminates To | Printed Circuit Board |
| Connector Product Type | Connector Assembly |

### Configuration Features

| | |
|---|---|
| PCB Mount Orientation | Right Angle |
| Number of Positions | 3 |
| Number of Rows | 1 |

### Electrical Characteristics

| | |
|---|---|
| Operating Voltage | 50 VDC |

## Body Features

| | |
|---|---|
| Primary Product Color | Natural |

## Contact Features

| | |
|---|---|
| Mating Square Post Dimension | .5 mm[.02 in] |
| PCB Contact Termination Area Plating Material Thickness | 1 – 2 µm[39.37 – 78.73 µin] |
| Contact Shape & Form | Square |
| Contact Layout | Staggered |
| Contact Mating Area Length | 2.4 mm[.095 in] |
| Contact Base Material | Brass |
| PCB Contact Termination Area Plating Material | Tin |
| Contact Mating Area Plating Material | Tin (Sn) |
| Contact Mating Area Plating Material Finish | Matte |
| Contact Mating Area Plating Material Thickness | 1 µm[39.37 µin] |
| Contact Type | Pin |
| Contact Current Rating (Max) | 2 A |

## Termination Features

| | |
|---|---|
| Termination Post & Tail Length | 3 mm[.118 in] |
| Square Termination Post & Tail Dimension | .5 mm[.02 in] |
| Termination Method to PCB | Through Hole - Solder |

## Mechanical Attachment

| | |
|---|---|
| Panel Mount Feature | With |
| Mating Alignment Type | Polarization |
| PCB Mount Retention Type | Kinked Legs |
| PCB Mount Alignment | With |
| Mating Retention | With |
| PCB Mount Retention | With |
| Connector Mounting Type | Board Mount |
| Mating Alignment | With |

## Housing Features

| | |
|---|---|
| Centerline (Pitch) | 1.5 mm[.059 in] |
| Housing Material | Nylon GF |

## Dimensions

| | |
|---|---|
| Connector Width | 4.9 mm[.192 in] |
| PCB Thickness (Recommended) | 1.6 mm[.063 in] |
| Connector Height | 8.45 mm[.332 in] |
| Connector Length | 7 mm[.276 in] |

### Usage Conditions

| | |
|---|---|
| Operating Temperature Range | -30 – 105 °C[-22 – 221 °F] |

### Operation/Application

| | |
|---|---|
| Assembly Process Feature | Pick and Place Cover |
| Circuit Application | Signal |

### Industry Standards

| | |
|---|---|
| Compatible With Agency/Standards Products | CSA, UL |
| Compatible With Approved Standards Products | CSA LR7189, UL E28476 |
| UL Flammability Rating | UL 94V-0 |

### Packaging Features

| | |
|---|---|
| Packaging Quantity | 2100 |
| Packaging Method | Box, Tray |

## Product Compliance

For compliance documentation, visit the product page on TE.com>


| | |
|---|---|
| EU RoHS Directive 2011/65/EU | Compliant |
| EU ELV Directive 2000/53/EC | Compliant |
| China RoHS 2 Directive MIIT Order No 32, 2016 | No Restricted Materials Above Threshold |
| EU REACH Regulation (EC) No. 1907/2006 | Current ECHA Candidate List: JUNE 2025 (250)<br>Candidate List Declared Against: JUNE 2025 (250)<br>Does not contain REACH SVHC |
| Halogen Content | Not Low Halogen - contains Br or Cl > 900 ppm. |
| Solder Process Capability | Wave solder capable to 265°C |

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products

will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

## Compatible Parts



TE Part # 2405870-3
CT 3P 300MM CABLE ASSEMBLY 6-353908-3

TE Part # 2058943-2
Cable Assembly Mini CT 3 pos.



TE Part # 1-353293-3
MINI CT MT REC ASSY 13P GRAY



TE Part # 353293-3
MINI CT MT REC ASSY 3P GRAY

TE Part # 1903108-1
MINI CT CABLE ASSY 3P REC GOLD PLT.



TE Part # 2-353293-3
1.5MM CT MT REC ASS'Y 3P BLACK



TE Part # CAT-AM7053-H8172
Mini Common Termination (CT) Housings



TE Part # 5-353293-3
MINI CT MT REC ASSY 3P BLUE



TE Part # CAT-AM7053-C7671
Mini Common Termination Contacts



TE Part # 2-179694-3
2MM CT MT REC ASSY 3P GRAY


## Also in the Series | AMP Mini CT



Connector Contacts(4)



Connector Hardware(10)




PCB Headers & Receptacles(332)



Rectangular Connector Housings(38)




Rectangular Power Connectors(76)



Standard Rectangular Connectors(172)



Wire-to-Board Connector Assemblies & Housings(114)



Wire-to-Board Headers & Receptacles (332)


## Customers Also Bought



TE Part #2-292138-0
CT DOUBLE ROW ASSY H 20P HDR N



TE Part #292206-2
MINI CT SGL DIP H 2P NAT



TE Part #2-292206-4
MINI CT SGL DIP H 4P BLACK



TE Part #292207-3
MINI CT SGL DIP V 3P NAT



TE Part #1-292207-3
MINI CT SGL DIP V 13P NAT



TE Part #2-292207-0
MINI CT SGL DIP V 20P NAT



TE Part #2-292207-3
MINI CT SGL DIP V 3P BLACK



TE Part #2-292207-7
MINI CT SGL DIP V 7P BLACK



TE Part #3-292208-4
MINI CT D/R DIP 34P V NAT



TE Part #8-292131-4
SGL HDR ASSY BOX DIP V POLARIS

## Documents

### CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_292206-3_E1.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_292206-3_E1.3d_igs.zip

English

## Customer View Model

ENG_CVM_CVM_292206-3_E1.3d_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

## Product Specifications

### Application Specification

English

## Agency Approvals

### UL

English